

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS****Date of Report: January 16, 1995****Date Received: January 13, 1995****Project: 7238, Metro Self Monitor, PO #M40067****Date Samples Extracted: January 13, 1995****RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC****Samples Processed Using Method 3005****Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M40067	2.0	1.3	1.4	<0.05
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M40067 (Duplicate)	2.0	1.3	1.5	<0.05
M40067 (Matrix Spike) % Recovery	83%	85%	82%	79%
M40067 (Matrix Spike Duplicate) % Recovery	77%	80%	76%	75%
Spike Blank % Recovery	91%	98%	89%	82%
Spike Level	5	5	10	5

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

January 16, 1995

**Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**


Dear Mr. Thompson:

**Enclosed are the results from the testing of material submitted on January 13, 1995
from your 7238, Metro Self Monitor project, PO #M40067.**

**We appreciate this opportunity to be of service to you and hope you will call if you
should have any questions.**

Sincerely,

FRIEDMAN & BRUYA, INC.



**Bradley T. Benson
Chemist**

**sao
Enclosures**

ACU0116R

AKC-0013052

01 BTB AI
01-13-95
11:18

Send Report To:

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	metro Self Monitor	m 40067

SAMPLERS (signature)

PROJECT LOCATION

REMARKS

SAMPLE DISPOSAL INFORMATION

☐ Dispose after 30 days
☒ Return Samples
☐ Call for Instructions

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: <i>Rodney L. Barcey</i>	<i>for Andy Lucas</i>	<i>Alaskan Copper</i>	<i>1/13/95</i>	<i>10:50</i>
Received by: <i>Cathy Biggs</i>	<i>CATHY BIGGS</i>	<i>7+BI</i>	<i>1/13/95</i>	<i>10:51</i>
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

January 16, 1995

**INVOICE # 95ACU0116-1
DUPLICATE COPY**

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project 7238, Metro Self Monitor, PO #M40067: Results of testing requested
by Gerald Thompson, Project Leader for material submitted on January 13,
1995.**

**1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00